

) EYE-LCD8200

eyevis LCD Series

) DISPLAY CHARACTERISTICS

- ▶ Professional 80 inch (208 cm) LCD-Monitor with S-PVA TFT-Display Panel
- ▶ Full HD resolution
- ▶ 16:9 Aspect Ratio
- ▶ Various Input Possibilities

) TECHNICAL SPECIFICATIONS

LCD Panel

Technology	S-PVA LCD
Max. Image Resolution	1.920 x 1.080 (full HD)

Display Features

Colours	16.7 Million (8bits-true)
Aspect Ratio	16:9
Viewing Angle	178° / 178°
Response Time	8 ms (Grey-to-Grey)
Contrast Ratio	1200:1
Brightness	600 cd/m ² (Typical)

Connectors & Control

Inputs	D-SUB 15P (Analog RGB 0.7Vp), DVI, RS232, S-video, CVBS
Supported Resolutions	Input Pixelclock : Max 205MHz (ADC), 640x480 (60Hz) ~ 1920x1080 (60Hz)
Control	IR Remote Control

Power Supply

Input Voltage	100-120 V/220-240 V; Integrated mains adapter
Power Consumption	950 Watt (max. 1400 Watt)

Environmental


Temperature	0-40°C (<50%RH)
Humidity	20-80%RH (T<40°C)

More

Screen Diagonal	82" (208.3 cm)
Screen Area	1878 x 1083 mm
Dimensions (WxHxD)	1926 x 1137 x 150 mm
Weight	110 kg

Dimensions:

- A: 1926 mm
- B: 1137 mm
- C: 150 mm



eyevis UK Ltd
 PO Box 482 • Burnley
 Lancashire • BB11 9BX • United Kingdom
 Tel: +44(0)1282 606525 • Fax: +44(0)1282 697703
 www.eyevis.co.uk • enquiry@eyevis.co.uk
 As at: August 2009 • Subject to change!
 Copyright © 2009 eyevis GmbH. All Rights Reserved.